

L Number	Hits	Search Text	DB	Time stamp
1	1	("5790664").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 09:29
2	4181	(tamper\$3 alter\$3) same (detect\$3) same (program routine function) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 09:56
3	384	(tamper\$3 alter\$3) same (detect\$3) same (program routine function) same (code signature) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 09:57
4	76	(tamper\$3 alter\$3) with (detect\$3) with (program routine function) same (code signature) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:19
5	13	(select) same (tamper\$3 alter\$3) with (detect\$3) with (program routine function) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:25
6	1	(select) same (tamper\$3) with (detect\$3) with (programs routines functions) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:26
8	3	(select\$3) same (tamper\$3) with (detect\$3) with (programs routines functions) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:42
7	62	(tamper\$3) with (detect\$3) with (programs routines functions) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:41
9	77	(select\$3) same (authorization) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:48
10	17	code same (select\$3) same (authorization) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:42
11	4	(select\$3) same (authorization) adj (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:50
12	287	(select\$3) same (authorization) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:50
13	24	(select\$3) same (authorization) adj (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:57
15	0	(code) same (selecting) with (detection) adj (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:58
14	1465	(code) same (selecting) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 10:59
16	2	(code) same (tamper\$3) same (selecting) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:01
17	1465	(code) same (selecting) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:01

18	1079	(code) with (selecting) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:03
19	1586	(code) with (select) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:03
20	94	(code) with (select) with (programs routines) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:06
21	0	(plural plurality multiple) with (tamper\$3) with (programs) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:07
22	22	(plural plurality multiple) with (program) same (tamper\$3) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:12
23	25	(plural plurality multiple) with (program) with (virus) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:20
24	197	(programs) with (virus) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:21
25	17	(select\$3) same (programs) with (virus) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 11:21
-	114286	((copyright (copy adj2 once)) and (digital)) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 14:51
-	126	((copy adj once) (digital adj right adj management)) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 14:52
-	12176	((copy adj once) (digital adj right adj management) CGMS EMI DRM) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/02 09:55
-	38	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 14:54
-	34	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and (application)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 14:54
-	20	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and ((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 14:56
-	20	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and ((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 15:11
-	18	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and ((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 15:20

-	17	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and ((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key) and (tamper\$3 alter\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 15:21
-	12	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and ((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key) and (tamper\$3 alter\$3) with (code indication)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 15:24
-	0	((((copy adj once) (digital adj right adj management)) and @ad<19990222) and (encrypted)) and ((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key) and (tamper\$3 alter\$3) adj (code indication)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 15:24
-	16	((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key) and (tamper\$3 alter\$3) adj (code indication)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 16:17
-	0	20030097579.URPN.	USPAT	2004/03/31 16:06
-	0	20010051928.URPN.	USPAT	2004/03/31 16:07
-	6	((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key) and (tamper\$3 alter\$3) adj (code indication) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 16:19
-	622	((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application)) and (decrypt\$3 with key) and (tamper\$3 alter\$3) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 16:19
-	59	((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application program)) and (decrypt\$3 with key) and (detect\$3) with (tamper\$3 alter\$3) with (sw software application program) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/01 14:53
-	57	((authenticat\$3 legitimate valid validat\$3 illegal) with (sw software application program)) and (decrypt\$3 with key) and (detect\$3) with (tamper\$3 alter\$3) with (sw software application program) and (copies) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/31 16:24

-	108	{ "3504132" "3648020" "3764742" "3798359" "3878331" "3906460" "3911216" "3944976" "3958081" "3996449" "4004089" "4028678" "4037215" "4074066" "4087856" "4120030" "4168396" "4183085" "4193131" "4206315" "4238854" "4246638" "4264782" "4278837" "4281215" "4306289" "4319079" "4323921" "4433207" "4446519" "4454594" "4458315" "4465901" "4471163" "4529870" "4558176" "4646234" "4658093" "4757533" "4796181" "4827508" "4924378" "4932054" "4937863" "4953209" "4961142" "4977594" "5010571" "5014234" "5023907" "5027396" "5047928" "5050213" "5058162" "5058164" "5103476" "5113519" "5146499" "5159182" "5191193" "5204897" "5222134" "5235642" "5247575" "5260999" "5263157" "5263158" "5291596" "5301231" "5319705" "5337357" "5339091" "5345588" "5347578" "5369702" "5386469" "5386471" "5388156" "5392351" "5394469" "5400403" "5410598" "5432849" "5438508" "5442541" "5450489" "5457746" "5473687" "5504814" "5530235" "5574648" "5592549" "5594491" "5594936" "5615264" "5629980" "5638443" "5646992" "5671276" "5673316" "5677953" "5703951" "5754649" "5787172" "5796839" "5870474" "5892900" "5910987" } .PN.	USPAT	2004/03/31 16:33
-	117	4558176.URPN.	USPAT	2004/03/31 17:06

-	30187	(watermark\$3 embed\$4) same (name version tamper type) and @ad<19990222	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 14:54
-	901	(watermark\$3 embed\$4) same (name version tamper type) same content and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 14:54
-	40	(watermark\$3 embed\$4) same (name version tamper type) same (content) same (encrypt\$2) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 14:55
-	14	(watermark\$3 embed\$4) same (name version tamper type) same (content) same (encrypt\$2) same (transmit\$4 send\$3) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:21
-	1991	(watermark\$3 embed\$4) same (name version tamper type) with (software program application) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:22
-	4	(watermark\$3 embed\$4) same (name version tamper type) with (software program application) same (content) same (encrypt\$2) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:25
-	123	(watermark\$3 embed\$4) same (name version tamper type) with (software program application) same (content) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:26
-	48	(watermark\$3 embed\$4) same (name version tamper type) with (software program application) with (content) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:26
-	21	(watermark\$3 embed\$4) with (name version tamper type) with (software program application) with (content) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:28
-	7	(watermark\$3 embed\$4) with (name version) with (software program application) with (content) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:31
-	26	(watermark\$3 embed\$4) with (signature) with (content) and @ad<19990222	USPÄT; US-PGPUB; EPO; JPO; IBM TDB	2004/04/01 15:30